

Vallance Road - Survey Sheet			Latitude S28'32,43.98				Longitude E153'30,52.45										
			BBB		BBB		BVBW-P		BVBW		BBB		BVBW		BBB		
* = Threatened Species is highlighted -V=Vulnerable			07.00 -12md		14.00 -19.30		8.00 -12.00		8.00 -14.00		14.00-19.30		08.00-13.00		15.00-21.00		
# = see notes below			2-Feb		1-May		29-Jun		13-Jul		1-Sep		5-Oct		28-Dec		
			2011		2011		2011		2011		2011		2011		2011		
No	Species	Scientific Name	M	O	H	O	H	O	H	O	H	O	H	O	H	O	H
1	Australian Brush-turkey	<i>Alectura lathamii</i>	S					X	6			1	6				
2	Brown Quail	<i>Coturnix ypsilophora</i>	S			X	5										
3	Australian Wood Duck	<i>Chenonetta jubata</i>	S	7	3	80	5			4	5	3	5			6	5
4	Pacific Black Duck	<i>Anas superciliosa</i>	S	4	1	25	1,3	2	1,3	10	1,3	10	3	6	1,3	13	1,3
5	Hardhead	<i>Aythya australis</i>	N							6	3						
6	Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	S											1	3		
7	White-headed Pigeon	<i>Columba leucomela</i>	N			X	2	3	OH	6	OH	X	OH				
8	Spotted Turtle-Dove	<i>Streptopelia chinensis</i>	S	X	2					3	2						
9	Brown Cuckoo-Dove	<i>Macropygia amboinensis</i>	N							1	2	X	2	3	2	X	2
10	Emerald Dove	<i>Chalcophaps indica</i>	N	X	2			1	6			X	2				
11	Peaceful Dove	<i>Geopelia striata</i>	N							3	2	X	2	3	2	X	2
12	Crested Pigeon	<i>Geophaps lophotes</i>	S	X	2					1	2	X	2	6	2		
13	Bar-shouldered Dove	<i>Geopelia humeralis</i>	S	X	2	x	2	X	OH	1	2	X	2	6	2	X	2
14	Wonga Pigeon	<i>leucosarcia melanoleuca</i>	S	H	2	X	2			1	2	X	2				
15	Rose-crowned Fruit-Dove *	<i>Ptilinopus regina</i> *V	MB														
16	Topknot Pigeon	<i>Lopholaimus antarcticus</i>				X	2	40	OH	45	OH						
17	Tawny Frogmouth	<i>Podargus strigoides</i>	S														
18	Australian Owlet-nightjar	<i>Aegotheles cristatus</i>	S													X	H
19	Darter	<i>Anhinga melanogaster</i>	N			1	1			1	1						
20	Little Pied Cormorant	<i>Phalacrocorax varius</i>	S	3	1					1	1	7	1	3	1		
21	Little Black Cormorant	<i>Phalacrocorax melanoleucos</i>	S	1	1	1	1	1	1	8	1	1	1	30	OH	1	1
22	Pied Cormorant	<i>Phalacrocorax sulcirostris</i>	S							1	OH			1	1		
23	Great Cormorant	<i>Phalacrocorax carbo</i>	N							1	1						
24	Australian Pelican	<i>Pelecanus conspicillatus</i>	N														
25	White-faced Heron	<i>Ardea novaehollandiae</i>	S	4	3	2	1	2	3	2	3A	4	3A	3	3A	2	3A
26	Little Egret	<i>Egretta garzetta</i>	N			1	1			1	3A	1	3A	1	3A		
27	White-necked Heron	<i>Ardea pacifica</i>	N											1	5		
28	Eastern Great Egret	<i>Ardea alba</i>	S									1	1	2	3A	X	OH
29	Intermediate Egret	<i>Ardea intermedia</i>	S					1	3			1	1				
30	Cattle Egret	<i>Ardea ibis</i>	S	X	19	2	5	5	5	6	5	X	5	X7	5	X	OH
31	Straited Heron	<i>Butoriodes striatus</i>	S	1	1	1	1			1	1			X	1		
32	Nankeen Night Heron	<i>Nycticorax caledonicus</i>	S											2	3A		
33	Australian White Ibis	<i>Threskiornis aethiopica</i>	S	5	OH	12	3A			1	3a	10	3a	12	3a,1	X	3a
34	Australasian Bittern	<i>Botaurus poiciloptilus</i>	MW	H	3												
35	Straw-necked Ibis	<i>Threskiornis spinicollis</i>	N							2	OH			1	5		
36	Royal Spoonbill	<i>Platalea regia</i>	S			2	3A	1	1	3	1	8	1	2	3A		
37	Eastern Osprey *V	<i>Pandion halieatus</i> *V	S					1	1,2	1	1,2	1	1	1	OH		

38	Black-shouldered Kite	<i>Elanus axillaris</i>	N										1	2			
39	Pacific Baza	<i>Aviceda subcristata</i>	S										2	OH	X	OH	
40	White-bellied Sea Eagle	<i>Haliaeetus leucogaster</i>	S			X	OH	1	OH	1	OH	1	OH	1	OH	X	OH
41	Whistling Kite	<i>Haliastur sphenurus</i>	MR			X	OH			2	OH	1	OH				
42	Brahminy Kite	<i>Haliastur indus</i>	S			X	OH			1	OH			1	OH	X	OH
43	Swamp Harrier	<i>Circus approximans</i>	S														
44	Brown Goshawk	<i>Accipiter fasciatus</i>	MR			X	OH							1	OH	1	OH
45	Grey Goshawk	<i>Accipiter novaehollandiae</i>	MR														
46	Collared Sparrowhawk	<i>Accipiter cirrhocephalus</i>	S						2					1	OH		
47	Wedge-tailed Eagle	<i>Aquila audax</i>	S											2	OH		
48	Little Eagle	<i>Hieraetus morphnoides</i>	S							1	OH						
49	Brown Falcon	<i>Falco berigora</i>	S														
50	Australian Hobby	<i>Falco longipennis</i>	MR							1	2						
51	Pale-vented Bush-hen	<i>Amaurornis olivaceus</i>	N														
52	Spotless Crake	<i>Porzana tabuensis</i>	MW	X	3A												
53	Buff-banded Rail	<i>Gallirallus philippensis</i>	N	X	3A*			1	3								
54	Purple Swamphen	<i>Porphyrio porphyrio</i>	S	X	3			9	3	5	3					6	3A
55	Dusky Moorhen	<i>Gallinula tenebrosa</i>	S	X	3A			18	3					2	3	X	3A
56	Latham's Snipe	<i>Gallinago hardwickii</i>	MSE													5	3A
57	Common Sandpiper	<i>Actitis hypoleucos</i>	MSE														
58	Black-winged Stilt	<i>Himantopus himantopus</i>	N					1	3							2	3A
59	Black-fronted Dotterel	<i>Elseya melanops</i>	s									2	3A	2	3A	22	3A
60	Masked Lapwing	<i>Vanellus miles</i>	S	16	5*	14	5,3	4	3	6	3	9	3	8	3	7	3A
61	Yellow-tailed Black Cockatoo	<i>Calyptorhynchus funereus</i>	N														
62	Galah	<i>Cacatua roseicapilla</i>	S	X	OH	X	2			X	OH	X	OH	4	3A	X	OH
63	Little Corella	<i>cacatua sanguinea</i>	S							2	OH			2	2		
64	Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	S	X	OH			1	OH			X	OH			X	OH
65	Rainbow Lorikeets	<i>Trichoglossus haematodus</i>	S	X	OH	X	OH	X	OH	10	OH	X	OH	8	OH	X	OH
66	Scaly-breasted Lorikeet	<i>Trichoglossus chlorolepidotus</i>	S			X	OH			4	H			2	OH	X	OH
67	Australian King-parrot	<i>Alisterus scapularis</i>	S									X	2				
68	Eastern Rosella	<i>Platycercus eximius</i>	S	X	2					2	2	X	2	2	OH		
69	Pheasant Coucal	<i>Centropus phasianinus</i>	S	H		X	8							1	H	X	H
70	Common Koel	<i>Eudynamys scolopacea</i>	MBE	X	2											X	H
71	Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	MBE	X	OH											X	OH
72	Shining Bronze-cuckoo	<i>Chrysococcyx lucidus</i>	MB			X	2	H	6	X	H	X	H	2	2	X	H
73	Fan-tail Cuckoo	<i>Cuculus flabelliformis</i>	MB			X	2	H	2	X	2	X	2	2	2		
74	Brush Cuckoo	<i>Cacomantis variolosus</i>	MB													X	2
75	Southern Boobook	<i>Ninox novaeseelandiae</i>	S														
76	Barn Owl	<i>Tyto alba</i>	N									x	2				
77	Masked Owl	<i>Tyto novaehollandiae</i>	R													X	5
78	Azure Kingfisher	<i>Alcedo azurea</i>	S	X	1	X	1			1	1	X	1	2	1		
79	Laughing Kookaburra	<i>Dacelo novaeguineae</i>	S	X	2	X	2	X	2	1	2	X	2	4	2	X	2
80	Forest Kingfisher	<i>Todiramphus macleayi</i>	MB														
81	Collared Kingfisher*V	<i>Todiramphus chloris *V</i>	N														
82	Sacred Kingfisher	<i>Halcyon sancta</i>	MB			X	2	X	1	3	1	X	1	3	1	X	1

83	Rainbow Bee-eater	<i>Merops ornatus</i>	MBE			X	OH	10	3A	5	3A	X	3A	5	3A	X	2
84	Dollarbird	<i>Eurystomus orientalis</i>	MBE	X	2									4	2	X	6
85	Noisy Pitta	<i>Pitta versicolor</i>	MB									X	H				
86	White-throated Treecreeper	<i>Cormobates leucophaeus*</i>	S							X	2						
87	Satin Bowerbird	<i>Ptilonorhynchus violaceus</i>	N														
88	Regent Bowerbird	<i>Sericulus chrysocephalus</i>	MB							X	6	X	6				
89	Superb Fairy-wren	<i>Malurus cyaneus</i>	S	X	6	X	6	X	6	10	6	X	6	6	6	X	6
90	Red-back Fairy-wren	<i>Malurus melanocephalus</i>	S	X	6					3	6	X	6	6	6	X	6
91	Variigated Fairy-wren	<i>Malurus lamberti</i>	S	X	6									4	6	X	6
92	White-browed Scrubwren	<i>Sericornis frontalis</i>	S	X	2		2			4	6	X	6	8	6	X	8
93	Large-billed Scrubwren	<i>Sericornis magnirostris</i>	S	X	2									2	2	X	2
94	Mangrove Gerygone	<i>Gerygone levigaster</i>	S							1	H			2	2		
95	White-throated Gerygone	<i>Gerygone olivacea</i>	MB	X	2	X	2	X	6	X	6	X	6	4	6	X	2
96	Brown Gerygone	<i>Gerygone mouki</i>	S									X	2				
97	Yellow Thornbill	<i>Acanthiza nana</i>	N											2	6		
98	Brown Thornbill	<i>Acanthiza pusilla</i>	S	X	2	X	2	X	2	X	2	X	2	2	2	X	2
99	Spotted Pardalote	<i>Pardalotus punctatus</i>	MB									X	6				
100	Striated Pardalote	<i>Pardalotus striatus</i>	MB	X	2	X	6	X	6	8	6	X	6	6	6		
101	Striped Honeyeater	<i>Plectorhyncha lanceolata</i>	N														
102	Noisy Friarbird	<i>Philemon corniculatus</i>	MB	X	2												
103	Blue-faced Honeyeater	<i>Entomyzon cyanotis</i>	S	X	2					X	5						
104	Noisy Miner	<i>Manorina melanocephala</i>	S	X	2			X	2	10	2	X	2	2	2		
105	Little Wattlebird	<i>Anthochaera chrysoptera</i>	S											2	2		
106	Lewin's Honeyeater	<i>Meliphaga lewinii</i>	S	X	2	X	2	X	6	ALL	6	X	6	4	6	X	6
107	Yellow-faced Honeyeater	<i>Lichenostomus chrysops</i>	MB							2	2						
108	Brown Honeyeater	<i>Lichmera indistincta</i>	S	X	2	X	4	X	4	5	2	X	2	2	2	X	2
109	White-cheeked Honeyeater	<i>Phylidonyris nigra</i>										3	2				
110	Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	MB														
111	Scarlet Honeyeater	<i>Myzomela sanguinolenta</i>	MB			X	2	X	2	8	2	X	2	2	2	X	2
112	Eastern Whipbird	<i>Psophodes olivaceus</i>	S	X	2	X	2	X	6	X	6	X	6	6	6	X	6
117	Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	S	X	2	X	2	X	2	4	2	X	2	4	2	X	2
118	Cicadabird	<i>Coracina tenuirostris</i>	MB	X	2			X	2							X	2
119	Varied Triller	<i>Lalage leucomela</i>	N	X	2	X	2										
120	Australian Figbird	<i>Sphecotheres viridis</i>	N	X	2	X	2	20	2	15	2	X	2	X	2	X	2
121	Olive-back Oriole	<i>Oriolus sagittatus</i>	MB							2	6			X	6		
122	Golden Whistler	<i>Pachycephala pectoralis</i>	MB			X	2	X	6	2	6	X	6	4	6		
123	Rufous Whistler	<i>Pachycephala rufiventris</i>	MB							4	6		6	2	6		
124	Little Shrike-thrush	<i>Colluricincla megarhyncha</i>	S	X	2									2	2	X	2
125	Grey Shrike-thrush	<i>Colluricincla harmonica</i>	S	X	2	X	2			X	2	X	2	2	2		
126	White-breasted Woodswallow	<i>Artamus leucorhynchus</i>	MB			X	2										
127	Masked Woodswallow	<i>Artamus personatus</i>	N														
128	Grey Butcherbird	<i>Cracticus torquatus</i>	N	X	2					X	2	X	2	2	2	X	2
129	Pied Butcherbird	<i>Cracticus nigrogularis</i>	S	X	5	X	2	X	2	X	2	X	2	2	2		
131	Australian Magpie	<i>Gymnorhina tibicen</i>	S	X	5	X	5	X	5	X	5	X	5	8	5	X	5
132	Pied Currawong	<i>Strepera graculina</i>	N			X	2	X	2	X	2	X	2	4	2	X	2

To Birds Australia			no	yes	Hans	NO		yes	H		yes	H		
Notes of interest			2011											
Note no recording between June 1010 and Feb 2011														
Notes of Interest 2011														
2/2/11 - very few berried/fruit trees trees - so no fruit-eating pigeons														
2/2/11- breeding Masked Lapwing x2chicks														
2/2/11- breeding Buff-banded Rail x 2 chicks														
2/2/11 - Carpet Python (E5) - water dragon (F4)														
2/2/11 - very hot & humid after 10am - bird no's declined														
2/2/11 - +++ growth in planted trees since last visit in June 2010														
1/5/11 - Survey delayed for three weeks due to constant rain														
1/5/11 - white-faced heron breeding colours														
1/5/11 - Call-back, Owls, sooty,boobook, barn & frogmouth - no result														
1/5/11 - call-back owlet nightjar - no result														
1/5/11 - note 7 pairs of lapwings - scattered throughout site where there is low grass														
1/5/11 - abundance of W.Swallows on dusk hawking over the river														
1/5/11 - also abundant no of Grey Fantails all areas														
1/5/11 - Topknot Pigeons roosting on site - f7														
1/5/11 - Galah using hollow tree - E3														
1/5/11 - Wood ducks mostly on bare areas near buildings -C7														
29/6/11 - note very wet 6 months														
29/6/11 - survey abandoned due to heavy,frequent showers after i/2 hour (10) - one person continued but site only part surveyed														
29/6/11 - more insectavores using the plantings														
29/6/11 - note single junernile Black-winged stilt														
29/6/11 - note Osprey using dead tree to perch east side of river														
1/9/11 - Note - Carpet Snake E4 - crossing the swamp														
1/9/11- fox footprints E3														
1/9/11 - abundance of E> Y. Robin - all areas														
1/9/11 - Galah & Rainbow Lorikeets - utilizing dead tree hollows e6														
1/9/11 - Flowering Red Gums - abundance of Scarlet Honeyeater														
4/10/11 - JUVENILE WHITE FACED HERON, NANKEEN NIGHT HERON														
28/12/11 - Vegetation fruiting - Davidson Plum														
28/12/11 - Vegetationflowering - Brown Kurrajong & Brush Box														
28/12/11 - Call Playback - Southern Boobook, Masked Owl, Barn Owl, Owletnightjar														
28/12/11 - Flying fox at Dusk														
x=observed; h=heard; ff=flying feeding; oh=flyingoverr n=nesting; br=breeding; c=chicks; jv=juvenile; n= not noted, p=site only partially observed, All= three areas or more 1 = aquatic, 2 = forest or isolated trees, 3 = freshwaterwetlands, 3A = tidal wetlands, 4 = mangroves, 5 = pasture, 6 = plantings, 7= estarine, 8= reeds/long grasses S = Sedentary, N=Nomadic, V=vagrant, E=Endemic, M=Migrant, MR=Migrant Raptor, MW=Migrant Waterbird, MB=Migrant Bushbird, MS=Migrant Shorebird (E after letters external migrant or I migrates within Australia No= species number, tax=no of family group, X= observed or counted, O= observation H=habitat, G=map grid reference, MF= Mark Fitzgerald's Obs for BSC														